

ESSENTIAL CONNECTIONS

Wire and cable constructions play a vital role in our modern world, providing the infrastructure for everything from power lines and data communication to broadband networks and automotive components. To meet the stringent regulatory and application requirements of a dynamic wire & cable industry, it is vital to understand how material technologies contribute to performance, fire safety, connectivity, and durability.

At Avient, we have engineered polymers, standard and high-temperature colorants and additives, and high-performance fibers for accelerating deployment, delivering reliability, boosting function, and enhancing product protection. These customizable solutions can help lightweight cable constructions, maintain flexibility, withstand UV and harsh elements, and improve processing efficiencies.

Whether you are producing low voltage (LV), medium voltage (MV), high voltage (HV), fiber optic, photovoltaic, EV charging, or specialty aerospace cables, our global portfolio of customizable technologies and services can help you overcome today's challenges for a successful tomorrow.



POWER CABLES

DURABILITY

Extended Life, Chemical Resistance, High & Low Temperature Performance, Flexibility, UV Stability, Tensile Strength

SOLUTIONS: Cross-Linkable Formulations,

UV & Light Blocking Additives,

<u>High-Temperature Crosslinked Formulations</u>

PROCESSING EFFICIENCY

Reduced Part Weight, High Extrusion Speeds, Ambient Curing

SOLUTIONS: Cross-Linkable Formulations,

Chemical Foaming Agents & Additives,

Processing Enhancement Additives,

Laser Marking Additives

REGULATORY SPECIFICATIONS

Quality Assurance, UL, CSA, CPR Compliant

SOLUTIONS: Flame Retardants & Compliant Colorants,

Product Authentication Technologies,

Flame Retardant Engineered Polymers,

LSFOH Flame Retardant Formulations

IMPROVED SAFETY

Flame Performance, Property Protection,

Heat & Chemical Resistance

SOLUTIONS: Flame Retardant Engineered Polymers,

Wire & Cable Colorants, Antimicrobial Additives,

Electrical Performance Additives

DATA CABLES

DURABILITY & AESTHETICS

Extended Life, High Material Flexibility, Chemical Resistance, UV Stability, Tensile Strength, Laser Markable Colors **SOLUTIONS:** Flame Retardant Engineered Polymers, Colorants for Wire & Cable, UV & Light Blocking Additives, Antimicrobial Additives, Laser Marking Additives

FIRE SAFETY

Flame & Fire Performance, Low Dripping, Property Protection,
Heat & Chemical Resistance
SOLUTIONS: Flame Retardant Additives,
Flame Retardant Engineered Polymers

REGULATORY SPECIFICATIONS

BEAD, UL, CSA, and CPR Compliant, Quality Assurance SOLUTIONS: Engineered Fiber Products, Flame Retardants & Compliant Colorants, Product Authentication Technologies, Flame Retardant Engineered Polymers

AVIENT CORPORATION

SPEED & EFFICIENCY

Faster Deployment, Lower Labor & Manufacturing Cost, High Extrusion Speeds SOLUTIONS: Chemical Foaming Agents & Additives, Processing Enhancement Additives, Laser Marking Additives, Water Blocking & Absorbing Yarn, Binder Yarn, Synthetic Fiber Strength Members, Ripcords

LIGHTWEIGHTINGDielectric Strength Members,

Solutions & Upjacketing

Weight Reduction
SOLUTIONS:
Chemical Foaming Agents & Additives,
Foamable Copolymer Formulations,

Fiber Reinforcements, High Adhesion

ELECTRIC & THERMAL MANAGEMENT

Low-Dielectric Performance, FEP Alternative,
Data Integrity, Data Performance
SOLUTIONS: Flame Retardant Engineered Polymers,
Flame Retardants & Compliant Colorants,
Electrical Performance Additives


LOW SMOKE & FUME NON-HALOGEN (LSFOH)

High Flame Retardancy, Low Smoke, Fume, Corrosiveness & Toxicity, Smoke Mitigation SOLUTIONS: LSFOH Flame Retardant Formulations, Non-Halogenated FR Additives

HIGH-TEMPERATURE SOLUTIONS

Pre-Colored Formulations, Laser Markable Colors, Standard & Custom Colors, Conductivity SOLUTIONS: High-Temperature Colorants & Pre-colored Solutions, High Temperature Marking Inks, Colorants & Additives, Conductive High-Temperature Formulations

POWER CABLES	
SOLUTIONS	AVIENT TECHNOLOGIES
Cross-Linkable Formulations	Syncure™ XLPE Cross-linkable Polyethylene Formulations ECCOH™ XL Cross-Linkable Formulations Colorant Chromatics™ Crosslinked Formulations
UV & Light Blocking Performance	UV & Light Blocking Additives ECCOH™ LSFOH UV Formulations
Chemical Foaming Agents & Additives	Excelite™ Chemical Foaming Additives Hydrocerol™ Chemical Foaming Agents
Processing Enhancement Additives	<u>Cesa™ Processing Additives</u>
Laser Marking Additives	<u>Cesa™ Laser Additives</u> <u>Colorant Chromatics™ UV Laser Marking Technology</u>
Flame Retardants & Compliant Colorants	<u>Cesa™ Flame Retardant Additives</u> <u>OnColor™ UL 94 Colorants</u>
Product Authentication Technologies	<u>Cesa™ Percept™ Authentication Technologies</u>
Flame Retardant Engineered Polymers	Syncure™ XLPE Cross-linkable Polyethylene Formulations ECCOH™ Low Smoke and Fume Non-Halogen Formulations ECCOH™ XL Cross-Linkable Formulations
Wire & Cable Colorants	OnColor™ Colorants for Wire & Cable
Antimicrobial Additives	<u>Cesa™ WithStand™ Antimicrobial Additives</u>
Electrical Performance Additives	<u>Electrical Performance Additives</u>



DATA CABLES		
SOLUTIONS	AVIENT TECHNOLOGIES	
Flame Retardant Engineered Polymers	ECCOH™ Low Smoke and Fume Non-Halogen Formulations Maxxam™ FR Flame Retardant Polyolefin Formulations	
UV & Light Blocking Performance	UV & Light Blocking Additives ECCOH™ LSFOH UV Formulations	
Chemical Foaming Solutions & Foamable Polymer Formulations	Excelite™ Chemical Foaming Additives Hydrocerol™ Chemical Foaming Agents Maxxam™ Foamable Formulations	
Processing Enhancement Additives	<u>Cesa™ CTR Additives</u>	
Laser Marking Additives	Cesa™ Laser Additives Colorant Chromatics™ UV Laser Marking Technology	
Ripcords for Fiber Optic Cable	<u>Fiber-Line™ Ripcords</u>	
Water Blocking & Absorbing Yarn	Swellcoat™ Water Blocking & Absorbing Yarn	
Flame Retardants & Compliant Colorants	<u>Cesa™ Flame Retardant Additives</u> <u>OnColor™ UL 94 Colorants</u>	
Product Authentication Technologies	Cesa™ Percept™ Authentication Technologies	
Engineered Fiber Products	Fiber-Line™ Engineered Fibers	
Fiber Reinforced Polymer (FRP/GRP) Products & Upjacketing	<u>Fiber-Line™ Composite Rods</u>	
Synthetic Fiber Strength Members	Fiber-Line™ Synthetic Fiber Strength Members	
Antimicrobial Additives	Cesa™ WithStand™ Antimicrobial Additives	
Colorants for Wire & Cable	OnColor™ Colorants for Wire & Cable	
Electrical Performance Additives	<u>Cesa™ Conductive Additives</u> <u>Cesa™ Stat Antistatic Additives</u>	
LSFOH Flame Retardant Formulations	ECCOH™ Low Smoke and Fume Non-Halogen Formulations	

DATA CABLES	
SOLUTIONS	AVIENT TECHNOLOGIES
Non-Halogenated FR Additives	<u>Cesa™ Flame Retardant Additives</u>
Colorants & Additives	Smartbatch™ Combination Colorants & Additives OnColor™ Colorants for Wire & Cable
High-Temperature Colorants & Pre-Colored Solutions	Colorant Chromatics™ ECTFE/ETFE Colorants Colorant Chromatics™ FEP Colorants Colorant Chromatics™ PEEK and PEI-Siloxane (SILTEM™ resin) Colorants & Pre-colored Solutions Colorant Chromatics™ PFA/MFA Colorants Colorant Chromatics™ PVDF Colorants Colorant Chromatics™ Reinforced Formulations
High-Temperature Marking Inks	Colorant Chromatics™ Marking Inks
Conductive High-Temperature Formulations	Colorant Chromatics™ Conductive Formulations



1.844.4AVIENT www.avient.com



Copyright © 2025, Avient Corporation. Avient makes no representations, guarantees, or warranties of any kind with respect to the information contained in this document about its accuracy, suitability for particular applications, or the results obtained or obtainable using the information. Some of the information arises from laboratory work with small-scale equipment which may not provide a reliable indication of performance or properties obtained or obtainable on larger-scale equipment. Values reported as "typical" or stated without a range do not state minimum or maximum properties; consult your sales representative for property ranges and min/max specifications. Processing conditions can cause material properties to shift from the values stated in the information. Avient makes no warranties or guarantees respecting suitability of either Avient's products or the information for your process or end-use application. You have the responsibility to conduct full-scale end-product performance testing to determine suitability in your application, and you assume all risk and liability arising from your use of the information and/or use or handling of any product. AVIENT MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, either with respect to the information or products reflected by the information. This literature shall NOT operate as permission, recommendation, or inducement to practice any patented invention without permission of the patent owner.